


APPLICATION PROCEDURE & SAFETY CONSIDERATIONS **PREFORMED** LINE PRODUCTS



SEPTEMBER 1998

GLAS-GRIP[®] dead-end (for use on fiberglass rod)

(Be sure to select proper size PREFORMED™ product before application)



GLAS-GRIP dead-end nomenclature.



1. To protect the fiberglass rod from damage, it is recommended that a Glas-Splice be partially applied, and the come-along then be attached over the Glas-Splice.

Attach the hoist and pull the guy to the desired tension, then increase the tension about two notches on the hoist to compensate for tension loss.

2. Cut the fiberglass guy rod one hand's width, or approximately three inches above the anchor rod (see inset).




3. With the right hand, position the fiberglass rod in the grip at the cross-over mark, and pull down on the grip to remove as much slack as possible. Align the loop of the grip with the groove in the anchor rod eye. After proper alignment is made, apply thumb pressure at the cross-over mark to hold the rod tail in place.




4. Then hold the fiberglass rod away from the hoist and apply the first leg except for the last two pitches.




5. Insert the second leg through the anchor rod eye, match the cross-over marks, and apply except for the last two pitches.



6. For ease in completing the application, split the ends of the grip as shown.



7. After the legs are split, carefully snap them into position. Then remove the splice which was partially applied for initial tensioning.



8. Completely applied Glas-Grip dead-end.

SAFETY CONSIDERATIONS

1. This application procedure is not intended to supersede any company construction or safety standards. This procedure is offered only to illustrate safe application for the individual. **CAUTION: FAILURE TO FOLLOW THESE PROCEDURES AND RESTRICTIONS MAY RESULT IN PERSONAL INJURY OR DEATH.**
2. This product is intended for a single (one-time) use and for the specified application. **CAUTION: DO NOT REUSE OR MODIFY THIS PRODUCT UNDER ANY CIRCUMSTANCES.**
3. This product is intended for use by trained craftspeople only. This product **SHOULD NOT BE USED** by anyone who is not familiar with and trained in the use of it.
4. When working in the area of energized lines with this product, **EXTRA CARE** should be taken to prevent accidental electrical contact.
5. For **PROPER PERFORMANCE AND PERSONAL SAFETY** be sure to select the proper size **PREFORMED™** product before application.
6. **PREFORMED** products are precision devices. To insure proper performance, they should be stored in cartons under cover and handled carefully.

PREFORMED LINE PRODUCTS 

P.O. Box 91129, Cleveland, Ohio 44101 • 440.461.5200 • www.preformed.com • e-mail: inquiries@preformed.com

SP2097-1