




POLE PLUG

**Be sure to read and completely understand this procedure before applying product.
Be sure to select the proper size PREFORMED™ product before application.**




The POLE PLUG is designed to close an existing hole in a steel structure in order to reduce whistling and prevent insect intrusion. It provides an economical means of reducing insect and wildlife nesting which can disturb linemen while working on the lines. Pole Plugs are available in 9/16" to 3". Please consult PLP's Energy Catalog. for catalog numbers or PLP for custom sizes.

Step #1 Select the appropriate POLE PLUG for the appropriate hole.



Step #2 Insert the POLE PLUG into the hole, and push until the POLE PLUG is completely installed in the hole.





POLE PLUG

**Be sure to read and completely understand this procedure before applying product.
Be sure to select the proper size PREFORMED™ product before application.**




The POLE PLUG is designed to close an existing hole in a steel structure in order to reduce whistling and prevent insect intrusion. It provides an economical means of reducing insect and wildlife nesting which can disturb linemen while working on the lines. Pole Plugs are available in 9/16" to 3". Please consult PLP's Energy Catalog. for catalog numbers or PLP for custom sizes.

Step #1 Select the appropriate POLE PLUG for the appropriate hole.



Step #2 Insert the POLE PLUG into the hole, and push until the POLE PLUG is completely installed in the hole.



SAFETY CONSIDERATIONS

This application procedure is not intended to supersede any company construction or safety standards. This procedure is offered only to illustrate safe application for the individual. **FAILURE TO FOLLOW THESE PROCEDURES MAY RESULT IN PERSONAL INJURY OR DEATH.**

This product may be removed and reinstalled during the initial installation if it is in good condition. After extended service life, it is recommended the product not be reused once removed from service.

Do not modify this product under any circumstances.

This product is intended for use by trained technicians only. **This product should not be used by anyone who is not familiar with, and not trained to use it.**

When working in the area of energized lines, extra care should be taken to prevent accidental electrical contact.

For proper performance and personal safety, be sure to select the proper size PREFORMED product before application.

PREFORMED products are precision devices. To insure proper performance, they should be stored in cartons under cover and handled carefully.



PREFORMED LINE PRODUCTS

P.O. Box 91129, Cleveland, Ohio 44101 • 440.461.5200 • www.preformed.com • e-mail: inquiries@preformed.com

SP3093-2

2

SAFETY CONSIDERATIONS

This application procedure is not intended to supersede any company construction or safety standards. This procedure is offered only to illustrate safe application for the individual. **FAILURE TO FOLLOW THESE PROCEDURES MAY RESULT IN PERSONAL INJURY OR DEATH.**

This product may be removed and reinstalled during the initial installation if it is in good condition. After extended service life, it is recommended the product not be reused once removed from service.

Do not modify this product under any circumstances.

This product is intended for use by trained technicians only. **This product should not be used by anyone who is not familiar with, and not trained to use it.**

When working in the area of energized lines, extra care should be taken to prevent accidental electrical contact.

For proper performance and personal safety, be sure to select the proper size PREFORMED product before application.

PREFORMED products are precision devices. To insure proper performance, they should be stored in cartons under cover and handled carefully.



PREFORMED LINE PRODUCTS

P.O. Box 91129, Cleveland, Ohio 44101 • 440.461.5200 • www.preformed.com • e-mail: inquiries@preformed.com

SP3093-2

2