


FIBERLIGN® Cable Abrasion Protector & Cable Marker



FIBERLIGN ADSS Cable Abrasion Protector

The FIBERLIGN ADSS Cable Abrasion Protector is intended to protect ADSS cable jacket from abrasion from structures, trees or other cables. It is made from black, low density polyethylene for low cost and superior abrasion resistance. The tube comes in two lengths and three OD sizes. Either tube may be cut in the field to accommodate specific length needs.

Component Reuse:

ADSS Cable Abrasion Protectors may be reused as desired if in good condition.

ORDERING INSTRUCTIONS

Select the appropriate size from the catalog table in this section.

FIBERLIGN ADSS Cable Abrasion Protector

Catalog Number	Cable OD Range		Protector ID in (mm)	Protector Length
	(in)	(mm)		
PTG-0200	.238-.500	6.04-12.7	.5 (12.7)	8" (20.3 cm)
PTG-0201				6" (1.8 m)
PTG-0202	.501-1.000	12.8-25.4	1.0 (25.4)	8" (20.3 cm)
PTG-0203				6" (1.8 m)
PTG-0204	1.001-1.500	25.6-38.1	1.5 (38.1)	8" (20.3 cm)
PTG-0205				6" (1.8 m)



FIBERLIGN Fiber Optic Cable Marker

Intended Use:

The Fiber Optic Cable Marker is designed to visibly identify fiber optic cable at a wood utility pole or other structure. In addition to marking the cable with a distinct orange color, the word "CAUTION" is used to emphasize the cable type. The bright orange color is easily identifiable from ground level.

Material:

The fiber optic cable marker is manufactured from corrosion resistant, lightweight polyethylene. Polyethylene provides superior retention of physical characteristics over temperature ranges and exposure to ultraviolet radiation.

Catalog Number	Color	Cable Diameter Range Inches (mm)	Length Inches (mm)
500510903	Orange	0.7 - 1.1 (18-28)	8 (203)

The Fiber Optic Cable Marker is imprinted with the following information: "CAUTION FIBER OPTIC CABLE". The characters are printed in black lettering that is 5/16" high and located opposite the installation split.