


## GUY MARKER

**Guy Markers** are used for identifying Down Guys or other wire and cable installations where anchoring devices are exposed to pedestrian and/or vehicular traffic. The Guy Marker comes in four different profiles with six attachment combinations.

### FEATURES AND BENEFITS

- Manufactured out of Polyethylene or PVC
- Premium UV inhibitors for long life span
- One or two piece designs
- Lightweight
- Installs on down guys in seconds
- Easily installed on strand sizes ranging from 3/16" - 1/2" (4.7 - 12.7 mm)
- Reflective stripe option available
- Deters vandalism
- Ships in boxes, bags, or on bulk pallets

## COMPONENTS



### Profile Options


Type	Description
Full Round	1-1/2" and 1-1/4" OD (Outer Diameter)
"B" Profile, "heart shape"	1-1/2" effective OD
Two-Piece Spiral Round	1-1/4" OD, helically slit to create two halves
Round-Overlapping	1-1/2" OD

### Attachment Devices

Type	Abbreviation	Description
Cable Tie/Universal Cable Tie	CT	A positive locking device to deter vandalism. Recommended on Dead-End hardware that restricts the use of the LOOP LOCK® Pin.
LOOP LOCK® Pin (patented)	LLP	A unique, one-way method that applies through the marker's tube and loop of a GUY-GRIP® Dead-End. Once applied, the tube is "locked" onto the Dead-End and cannot be removed easily by vandals. Removal and reinstallation of the marker by authorized personnel is possible with a new pin, which can be supplied separately.
Integral Helical Pigtail - Used in conjunction with Short Lock Strap or Cable Tie	PT	Attached to the inside of the marker tube and wraps on to secure to the strand. Generally fits a strand range of 3/16" – 1/2" diameters and provides a unique one-way slip down motion for ease of installation. The installed pigtail resists upward movement. The pigtail is made from specially formulated material designed to provide high strength, tear resistance, and no corrosion.
Stainless Steel Clamp	SC	The stainless steel clamp is riveted to one end of the guy marker. The clamp's position gives linemen an option to install the guy marker with the clamp on top or bottom of the tube. The stainless steel clamp quickly and easily secures the guy marker to down-guy wire by tightening the 9/16" bolt, included in the clamp assembly. This guy marker features a collapsible profile that wraps on itself when installed on down-guy wire.
Short Lock Strap	SLS	The Short Lock Strap is used with the pigtail device and helps deter vandalism.
Cable Tie	CT	The Cable Tie is supplied as an alternative to the Short Lock Strap where hardware restricts its application.



Universal Cable Tie




LOOP LOCK® Pin




Stainless Steel Clamp



Short Lock Strap



Cable Tie Attachment



Integral Helical Pigtail



## ORDERING INFORMATION

### Guy Marker

Catalog Number	Color	Material	Tube Profile	Tube OD		Attachment Type	Carton Information	
				in	mm		Units	Wt/lb
PG-5718	Yellow	Polyethylene	Round	1.5	32	PT/SLS	25	39
PG-5718P	Yellow	Polyethylene	"B"	1.5	32	PT/CT	25	35
PG-5518	Yellow	PVC	Round	1.5	32	PT/SLS	25	33
PGMS3921	Yellow	Polyethylene	Round	1.5	32	UCT	25	33
PGMS4072	Yellow	Polyethylene	"B"	1.5	32	UCT	25	35
PG-5405	Yellow	Polyethylene	Round	1.5	32	LLP	25	36
PG-5423	Yellow	Polyethylene	"B"	1.5	32	LLP	25	33
PG-5462	Yellow	Polyethylene	"B"	1.5	32	2 LLP	25	36
RPG-5618	Yellow/ Reflective Tape	PVC	Round	1.5	32	PT/SLS	25	33
RPGMS12030	Yellow/ Reflective Tape	Polyethylene	"B"	1.5	32	UCT	25	36
RPGMS10469	Yellow/ Reflective Tape	Polyethylene	"B"	1.5	32	LLP	25	36
PG-5738	Orange	Polyethylene	Round	1.5	32	PT/SLS	25	34
PG-5708	Gray	Polyethylene	Round	1.5	32	PT/SLS	25	34
PG-5708P	Gray	Polyethylene	"B"	1.5	32	PT/CT	25	36
PGMS7578	Yellow	Polyethylene	Round	2"		PT/SLS	25	49
PG-6500	Yellow	Polyethylene	Round	2"		None	25	34
PG-6600	Orange	Polyethylene	Round	2"		None	25	34
PG-6500SC	Yellow	Polyethylene	Round	2"		SC	25	42
PG-6600SC	Orange	Polyethylene	Round	2"		SC	25	42
PG-6500PIN	Yellow	Polyethylene	Round	2"		LLP	25	39
PG-6600PIN	Orange	Polyethylene	Round	2"		LLP	25	39
PG-6500TIE	Yellow	Polyethylene	Round	2"		UCT	25	38
PG-6600TIE	Orange	Polyethylene	Round	2"		UCT	25	38

## ORDERING INFORMATION

### Universal Marker

**Two Piece Spiral Round Markers:** Designed to provide increased visibility for many guying or cable applications. It can provide coverage from the ground line, around fittings and above normal reach depending upon installation.

The addition of a third helical section can provide up to 360° coverage for diameters over 1". This method may require special application techniques as outlined in the application procedure.

Limited coverage is possible for diameters over 1-5/8" or over large, non-circular fittings. Consult the application procedure for special techniques.

Catalog Number	Length		Color	Material	Tube OD		Attachment Type	Carton Information	
	ft	m			in	mm		Units	Wt/lb
PG-5750	8	2.4	Orange/ Yellow	Polyethylene	1-1/4	32	2-CT	30	31
PG-5752	8	2.4	Orange	Polyethylene	1-1/4	32	2-CT	30	31

**NOTE:** For different lengths, attachments, and/or the addition of reflective tape, contact your PLP representative.

Package options: Bagged – add suffix code B;

Bulk – add suffix code BULK