



FIBERLIGN® In-Span Storage System

GENERAL INFORMATION

The innovative Cable Capture Tabs of the FIBERLIGN® In-Span Storage (FIS) are designed to make aerial slack cable storage faster and easier. During installation, the cable is clipped into the tabs and then the storage bracket is pulled into its final position at the back of the cable loop. The cable is secure and the installer's hands are free to apply cable ties.

Less cable ties are required, saving time and money. Adjustments to the cable loop or storage bracket are simple.



12" and 16" Bracket Sizes

KEY FEATURES

- Available with hanger brackets for either lashed messenger cable systems or ADSS
- Vertical stacking of multiple cables provides large storage capacity in a small profile
- Abrasion Protectors or Uni-Group Cable Guide are offered as pole pass options for cable slack against the pole
- Uni-Group Cable Guide guides cable through low profile applications between communication and utility zones

FIS for Lashed Messenger Cables		
Catalog Number	Description	Messenger Installation
FIS12M	Pair of 12" (30.5 cm) diameter storage brackets with messenger hanger brackets	
FIS16M	Pair of 16" (40.6 cm) diameter storage brackets with messenger hanger brackets	

FIS for ADSS Cables		
Catalog Number	Description	ADSS Installation
FIS12A	Pair of 12" (30.5 cm) diameter storage brackets with ADSS hanger brackets	
FIS16A	Pair of 16" (40.6 cm) diameter storage brackets with ADSS hanger brackets	

Optional Accessories		
FISxxx –		
Cable Ties		
No Cable Ties	Blank	
Pole Pass Option		
Uni-Group Cable Guide	U	
Abrasion Protectors	A	
None	Blank	
Sample Catalog Number FIS16A-TU Pair of 16" (40.6 cm) diameter storage brackets for ADSS, 25 cable ties, and Uni-Group Cable Guide		

Quick Installation	
Captures cable loop	Slides into final position