





AGRICULTURE



SALES CONTACTS





ENERGY SALES

CUSTOMER SUPPORT


PLP SOUTH AFRICA CUSTOMER & TECHNICAL SUPPORT

Tel: 033 397 5800

Fax: 033 387 7094

Email: plppmb@preformedsa.co.za





VDWG


The **VINE-LINE® DOUBLE WRAP GRIP** is designed to terminate and tension wire or strand to an anchor pole used in trellising systems or wood structures. Thereby linking the outer poles of the structure and does away with the need to drill a hole in the pole. Manufactured out of galvanized steel material for use on galvanized wire or strand.

ORDERING TABLE

			LENGTH OF FITTING
CATALOGUE NO.	WIRE OR STRAND	COLOUR CODE	(L) (mm)
VDWG 144	7/1.22	BROWN	740
VDWG 192	7/1.63	YELLOW	823
VDWG 240	7/2.03	ORANGE	868
VDWG 312	7/2.65	BROWN	999
VDWG 396	7/3.35	YELLOW	1100
VDWG 472	7/4.00	GREEN	1196

©2022 Preformed Line Products PLP.COM 3





VBT


The **VINE-LINE® BRACE TIE®** is Designed to secure a wire or strand to an inner wood pole used in trellising systems or wood structure. Does away with the need to drill a hole in the pole. Manufactured out of galvanized steel material for galvanized wire or strand.

ORDERING TABLE

			APPROX. LENGTH
			OF FITTING
CATALOGUE NO.	WIRE OR STRAND	COLOUR CODE	(L) (mm)
VBT 144	7/1.22	BROWN	500
VBT 192	7/1.63	YELLOW	564
VBT 240	7/2.03	ORANGE	644
VBT 312	7/2.64	BROWN	740
VBT 396	7/3.35	YELLOW	836
VBT 472	7/4.00	GREEN	936

4 PLP. COM ©2022 Preformed Line Products





VS


The **VINE-LINE® SPLICE** is designed to join or splice two lengths of wire or stay wire to each other, end to end. Manufactured out of galvanized steel material for use on galvanized wire or strand.

ORDERING TABLE

CATALOGUE NO.	WIRE OR STRAND	COLOUR CODE	APPROX. LENGTH OF FITTING (L) (mm)	RODS PER SET
VS 144	7/1.22	BROWN	666	8
VS 192	7/1.63	YELLOW	846	8
VS 240	7/2.03	ORANGE	1008	10
VS 312	7/2.65	BROWN	1332	10
VS 396	7/3.35	YELLOW	1584	12
VS 472	7/4.00	GREEN	1872	12

©2022 Preformed Line Products PLP. COM 5





VTG

The **VINE-LINE® THIMBLE GRIP** is designed to terminate wire for staying purposes, on the anchor of any trellising systems or wood pole structure. Manufactured out of galvanized steel material for use on galvanized wire or strand.

ORDERING TABLE

				APPROX. LENGTH
	WIRE OR STRAND			OF FITTING (L)
CATALOGUE NO.	(mm)	COLOUR CODE	RODS PER SET	(mm)
VTG 144	7/1.22	BROWN	4	333
VTG 192	7/1.63	YELLOW	4	423
VTG 240	7/2.03	ORANGE	5	476
VTG 312	7/2.65	BROWN	5	666
VTG 396	7/3.35	YELLOW	6	748
VTG 472	7/4.00	GREEN	6	884

6 PLP.COM ©2022 Preformed Line Products





VST


The **VINE-LINE® SUSPENSION TIE** is designed to join or splice two lengths of wire or stay wire to each other, end to end. Manufactured out of galvanized steel material for use on galvanized wire or strand.

ORDERING TABLE

	WIRE OR STRAND	COLOUR	RODS	APPROX. LENGTH
CATALOGUE NO.	(mm)	CODE	PER SET	(L) (mm)
VST 240/124	7/2.03	Orange	1	300
VST 396/124	7/3.35	Yellow	1	450

©2022 Preformed Line Products PLP.COM 7





GFG

The **VINE-LINE® GALVANIZED FENCE GRIP** is designed to terminate wire for staying purposes, on the anchor of any trellising systems or wood pole structure. Manufactured out of galvanized steel material for use on galvanized wire or strand.

ORDERING TABLE

						RATED	APPROX.
					APPROX.	HOLD	PACK
	WIRE OR STRAND	POLE DIST.	COLOUR	RODS	LENGTH	STRENGTH	MASS
CATALOGUE NO.	(mm)	(mm)	CODE	PER SET	(L) (mm)	(kg)	(kg)
GFG 083	1.8 – 2.4		Black	2	250	200	4.8
GFG 083-50/75	1.8 – 2.4	50-75	Black	2	350	200	5.0
GFG 125	3.15		Red	2	405	200	5.0
GFG 125-50/75	3.15	50-75	Red	2	405	200	5.0

8 PLP.COM ©2022 Preformed Line Products

NOTES:

-		
-		
-		
-		



PLP SOUTH AFRICA 180 OHRTMANN ROAD WILLOWTON, PIETERMARITZBURG 3201

(033) 397 5800 SALES@PREFORMEDSA.CO.ZA PREFORMED.COM/ZA

© 2022 Preformed Line Products